

Reliable Chemical Laboratory Supplies

Glassware Catalog



1. Beaker Berzelius, Tall Form with Spout

Glass Boro 3.3, White Printing, Chemical Resistant, Low form



Item Code	Capacity (ml)	Dia (mm)	Height (mm)	Pack of
230.202.02	50	38	70	10
230.202.03	100	48	80	10
230.202.04	150	54	95	10
230.202.05	250	60	120	10
230.202.06	400	70	130	10
230.202.07A*	500	75	142	8
230.202.07	600	80	150	8
230.202.08	1000	90	192	6

2. Beaker Berzelius, Tall Form without Spout

Glass Boro 3.3, White Printing, Chemical Resistant, Low form, Flared Beaded Top



Item Code	Capacity (ml)	Dia (mm)	Height (mm)	Pack of
230.205.02	50	38	70	10
230.205.03	100	48	80	10
230.205.04	150	54	95	10
230.205.05	250	60	120	10
230.205.06	400	70	130	10
230.205.06AB*	500	75	142	8
230.205.07	600	80	150	8
230.205.08	1000	90	192	6

3. Beaker Grifin Low Form

Glass Boro 3.3, White Printing, Chemical Resistant, Low form



Item Code	Capacity (ml)	Dia (mm)	Height (mm)	Pack of
229.202.01	5	22	30	10
229.202.02	10	26	35	10
229.202.03	25	34	51	10
229.202.04	50	42	58	10
229.202.05	100	50	70	10
229.202.06	150	60	88	10
229.202.07	250	70	95	10
229.202.08	400	80	110	10
229.202.08A	500	83	118	8
229.202.09	600	90	125	8
229.202.10	1000	105	157	6
229.202.11	2000	132	185	4
229.202.13	3000	152	210	1
229.202.14	5000	170	270	1
229.202.15	10000	220	350	1

4. BOD Bottles with Penny Head Stopper

With glass penny head stopper



Item Code	Capacity (ml)	Number Sequence	Stopper	Pack of
284.456.01	60	Unnumbered	Pennyhead	1
284.451.01A	60	1 36	Pennyhead	36
284.451.01B	60	37 72	Pennyhead	36
284.451.01C	60	73 108	Pennyhead	36
284.456.02	300	Unnumbered	Pennyhead	1
284.456.02R	Bar Coded 300	1 to 24	Pennyhead	24
284.456.02A	Bar Coded 300	25 to 48	Pennyhead	24
284.456.02B	Bar Coded 300	49 to 72	Pennyhead	24
284.456.02C	Bar Coded 300	73 to 96	Pennyhead	24
284.456.02D	Bar Coded 300	97 to 120	Pennyhead	24
284.456.02E	Bar Coded 300	121 to 144	Pennyhead	24
284.456.02F	Bar Coded 300	145 to 168	Pennyhead	24
284.456.02G	Bar Coded 300	169 to 192	Pennyhead	24
284.456.02H	Bar Coded 300	193 to 216	Pennyhead	24
284.456.02I	Bar Coded 300	217 to 240	Pennyhead	24
284.456.02J	Bar Coded 300	241 to 264	Pennyhead	24
284.456.02K	Bar Coded 300	265 to 288	Pennyhead	24
284.456.02L	Bar Coded 300	289 to 312	Pennyhead	24
284.456.02M	Bar Coded 300	313 to 336	Pennyhead	24
284.456.02N	Bar Coded 300	337 to 360	Pennyhead	24
284.456.02O	Bar Coded 300	361 to 384	Pennyhead	24
284.456.02P	Bar Coded 300	385 to 408	Pennyhead	24
284.456.02Q	Bar Coded 300	409 to 432	Pennyhead	24

5. Bottles, Culture, (Roux) Off-Set Neck

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Capacity (ml)	Approx BxWxH (mm)	Approx Neck I.D.(mm)	Pack of
288.202.07	1000	126 x 56 x 265	26	2

6. Burette with glass stopcock, Class AS

Glass Boro 3.3, White Printing, Chemical Resistant, Glass Stopcock



Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of
111.202.01	10	0.05	0.03	1
111.202.02	25	0.1	0.05	1
111.202.03	50	0.1	0.05	1
111.202.04	100	0.2	0.1	1

7. Burette with PTFE key stopcock, Class B

Glass Boro 3.3, Amber Printing, Chemical Resistant, Polytetrafluoroethylene (PTFE) Stopcock, Class A



Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of
114.224.01	10	0.05	0.05	1
114.224.02	25	0.1	0.1	1
114.224.03	50	0.1	0.1	1

8. Burettes with PTFE Key stopcock clear glass

Glass Boro 3.3, White Printing, Chemical Resistant, Polytetrafluoroethylene Stopcock (PTFE), Class A



Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of
115.202.01	10	0.05	0.03	1
115.202.02	25	0.1	0.05	1
115.202.03	50	0.1	0.05	1
115.202.04	100	0.2	0.1	1

9. Burettes with PTFE key stopcock in Schellbach stripe

Glass Boro 3.3, White Printing, Chemical Resistant, Polytetrafluoroethylene Stopcock (PTFE), Class A



Item Code	Capacity (ml)	Division	Tolerance (±ml)	Pack of
114.202.04A	10	0.05	0.03	1
114.202.05A	25	0.1	0.05	1
114.202.06A	50	0.1	0.05	1
114.202.07A	100	0.2	0.1	1

10. Closure Cap for Test Tubes

Polypropylene



Item Code	Size for Tube (mm)	Pack of
100.202.01	12	100
100.202.02	15	100
100.202.03	18	100
100.202.04	20	100
100.202.05	25	100

11. Condenser Alihin for Soxhlet Apparatus

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Cone	Effective Length (mm)	Extractor (ml)	Connector	Pack of
191.202.01	45/40	300	100	Glass	1
191.202.01A	45/40	400	250	Glass	1
191.202.02	60/46	400	500	Glass	1
191.202.03	71/55	400	1000	Glass	1

12. Condenser, Dimroth

Glass Boro 3.3, White Printing, Chemical Resistant, Screw Thread



Item Code	Socket	Effective Length (mm.)	Cone	Connector	Pack of
190.181.01A	14/23	160	14/23	Screw Thread	1
190.181.02A	19/26	160	19/26	Screw Thread	1
190.181.03A	19/26	250	19/26	Screw Thread	1
190.181.04A	24/29	250	24/29	Screw Thread	1
190.181.05A	29/32	250	29/32	Screw Thread	1
190.181.06A*	24/29	300	24/29	Screw Thread	1
190.181.07A*	29/32	300	29/32	Screw Thread	1
190.181.08A	29/32	400	29/32	Screw Thread	1

13. Culture Tube with screw cap

Glass Boro 3.3, White Printing, Chemical Resistant, Screw Cap, Leakproof



Item Code	O.D. x Length (mm)	Bottom Type	Pack of
082.204.01	12 x 100	Round	100
082.204.02B	16 x 75	Round	100
082.204.02	16 x 100	Round	100
082.204.03	16 x 125	Round	100
082.204.04	16 x 160	Round	100
082.204.05	18 x 180	Round	100
082.204.06	20 x 100	Round	100
082.204.07	20 x 200	Round	100
082.204.08	22 x 200	Round	100
082.202.05	25 x 100	Round	100
082.202.06	25 x 150	Round	100
082.202.07	25 x 200	Round	50
082.204.13	38 x 200	Round	50

14. Desiccator with Lid, Plain

With Lid, Die Pressed, Neutral Glass Porcelain Perforated Plate



Item Code	I.D.(mm)	Pack of
249.202.01	150	1
249.202.02	210	1
249.202.03	250	1
249.202.04	300	1

15. Desiccator With Lid, Vacuum

With Lid, Die Pressed, Neutral Glass with Porcelain Perforated Plate and Glass Sleeve



Item Code	I.D.(mm)	Pack of
250.202.01	150	1
250.202.02	210	1
250.202.03	250	1
250.202.04	300	1

16. Erlenmeyer Conical Flask Narrow Mouth

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Capacity (ml)	D. (mm)	D1. (mm)	H. (mm)	Pack of
231.202.01	25	42	22	75	10
231.202.02	50	51	22	90	10
231.202.03	100	64	22	105	10
231.202.03A*	150	74	28	118	10
231.202.04	250	85	34	145	10
231.202.05	500	105	34	180	10
231.202.06	1000	131	42	220	10
231.202.07	2000	166	50	280	6
231.202.08	3000	187	50	310	1
231.202.09	5000	220	50	365	1

17. Erlenmeyer Conical Flask with Screw Cap

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Capacity (ml)	Thread Size	Dia (mm)	Pack of
075.202.01	50	GL 25	51	2
075.202.02	100	GL 25	64	2
075.202.03	150	GL 25	72	2
075.207.04	250	GL 45	85	2
075.207.05	500	GL 45	105	2
075.207.06	1000	GL 45	131	2
075.207.07	2000	GL 45	166	2
075.207.10	5000	GL 45	220	2

18. Erlenmeyer Conical Flask with stopper

Glass Boro 3.3, White Printing, Chemical Resistant, Hollow



Item Code	Capacity (ml)	Joint Size	Dia (mm)	Height (mm)	Pack of
076 202.01A	100	24/29	64	100	2
076 202.01	100	29/32	64	100	2
076 202.02	250	29/32	85	140	2
076 202.03	500	24/29	105	175	2
076 202.03 A	500	29/32	105	175	2
076 202.04	1000	29/32	131	220	2
076 202.05	2000	29/32	166	270	1

19. Erlenmeyer Flask, Wide Neck Conical

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Capacity (ml)	D. (mm)	D1. (mm)	H. (mm)	Pack of
232.202.01*	25	42	31	70	10
232.202.02	50	51	34	85	10
232.202.03	100	64	34	105	10
232.202.05	250	85	50	140	10
232.202.07	500	105	50	175	10
232.202.08	1000	131	50	220	10
232.202.09	2000	166	76	276	6

20. Flask Conical With Joint ISO

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Capacity (ml)	Socket Size	Overall Height	Overall Dia (mm)	Pack of
071.202.06	25	14/23	70	42	10
071.202.07	25	19/26	70	42	10
071.202.08	50	14/23	85	51	10
071.202.09	50	19/26	85	51	10
071.202.10	50	24/29	85	51	10
071.202.10A	50	29/32	85	51	10
071.202.11	100	14/23	100	64	10
071.202.12	100	19/26	100	64	10
071.202.13	100	24/29	100	64	10
071.202.14	100	29/32	100	64	10
071.202.15*	150	19/26	118	72	10
071.202.16*	150	24/29	118	72	10
071.202.17*	150	29/32	118	72	10
071.202.17A*	200	29/32	131	79	10
071.202.19	250	24/29	140	85	10
071.202.20	250	29/32	140	85	10
071.202.21A*	300	29/32	156	87	10
071.202.22*	500	19/26	175	105	10
071.202.22A	500	24/29	175	105	10
071.202.23	500	29/32	175	105	10
071.202.25*	1000	24/29	220	131	10
071.202.26	1000	29/32	220	131	10
071.202.27*	1000	34/35	220	131	10
071.202.28	2000	29/32	270	166	6
071.202.29*	2000	34/35	270	166	6
071.202.30*	3000	45/40	310	187	1
071.202.31*	5000	45/40	365	220	1

21. Flask, Flat Bottom, Narrow Neck

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Capacity (ml)	D. (mm)	D1. (mm)	H. (mm)	Pack of
235.202.01	50	51	26	90	10
235.202.02	100	64	26	105	10
235.204.02*	150	74	28	115	10
235.202.03	250	85	34	138	10
235.204.03*	300	93	34	143	10
235.202.04	500	105	34	220	10
235.202.05	1000	131	42	163	10
235.202.06	2000	166	50	190	10
235.202.07*	3000	185	50	230	6
235.202.08*	5000	233	50	250	1
235.202.09	10000	280	65	360	1
235.202.10*	20000	350	75	495	1

22. Flask, Round Bottom, Narrow Neck

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Capacity (ml)	D. (mm)	D1. (mm)	H. (mm)	Pack of
233.202.01	50	51	26	90	10
233.202.02	100	64	26	110	10
233.203.02*	150	74	28	118	10
233.202.03	250	85	34	143	10
233.202.04	500	105	34	168	10
233.202.05	1000	131	42	200	10
233.202.06	2000	166	50	240	6
233.202.07*	3000	185	50	260	1
233.202.08*	5000	223	50	305	1
233.202.09	10000	279	65	380	1
233.202.10*	20000	350	75	510	1

23. Flasks, Flat Bottom, with Joint

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Capacity (ml)	Socket Size	Overall Height	Overall Dia (mm)	Pack of
058.202.00	50	14/23	85	51	10
058.202.01	50	19/26	85	51	10
058.202.02	50	24/29	85	51	10
058.202.02A	50	29/32	85	51	10
058.202.03B	100	14/23	103	64	10
058.202.03	100	19/26	103	64	10
058.202.04*	100	24/29	103	64	10
058.202.05*	100	29/32	103	64	10
058.202.07*	150	19/26	115	74	10
058.202.08	150	24/29	115	74	10
058.202.09	150	29/32	115	74	10
058.202.11A	250	14/23	130	85	10
058.202.11*	250	19/26	130	85	10

058.202.12	250	24/29	130	85	10
058.202.13	250	29/32	130	85	10
058.202.14	250	34/35	130	85	10
058.202.15	500	19/26	160	105	10
058.202.16*	500	24/29	160	105	10
058.202.17	500	29/32	160	105	10
058.202.18	500	34/35	160	105	10
058.202.19A	1000	19/26	187	131	10
058.202.19*	1000	24/29	187	131	10
058.202.20	1000	29/32	187	131	10
058.202.21	1000	34/35	187	131	10
058.202.22	2000	24/29	230	166	6
058.202.23	2000	29/32	230	166	6
058.202.24	2000	34/35	230	166	6
058.202.25	3000	29/32	250	185	1
058.202.25A	3000	34/35	250	185	1
058.202.25B	3000	45/40	250	185	1
058.202.26B	5000	29/32	290	223	1
058.202.26A	5000	34/35	290	223	1
058.202.26	5000	45/40	290	223	1

24. Funnel

Glass Boro 3.3, White Printing, Chemical Resistant, With 60° bowl angle for precise fitting of filter paper



Item Code	Diameter (mm)	Pack of
238.202.01*	25	10
238.202.02	35	10
238.202.03*	38	10
238.202.04*	40	10
238.202.05*	50	10
238.202.06	55	10
238.202.07*	65	10
238.202.08*	70	10
238.202.09	75	10
238.202.10*	80	10
238.202.11	100	10
238.202.12	125	10
238.202.13	150	10

25. Measuring Cylinder with Batch Certificate, Hex base, Class A

Glass Boro 3.3, White Printing, Chemical Resistant, Hexa Base, Class A



Item Code	Capacity (ml)	Sub division (ml)	Tolerance (± ml)	Pack of
139.202.00A	5	0.1	0.05	2
139.202.01A	10	0.2	0.1	2
139.202.02A	25	0.5	0.25	2
139.202.03A	50	1	0.5	2
139.202.04A	100	1	0.5	2
139.202.05A	250	2	1	2
139.202.06A	500	5	2.5	2
139.202.07A	1000	10	5	1
139.202.08A	2000	20	10	1

26. Measuring Cylinder with detachable PE base

Glass Boro 3.3, White Printing, Chemical Resistant, Protection collar, Class B



Item Code	Capacity (ml)	Sub division (ml)	Tolerance (± ml)	Pack of
137.202.01*	5	0.1	0.1	10
137.202.02	10	0.2	0.2	10
137.202.03	25	0.5	0.5	10
137.202.04	50	1	1	10
137.202.05	100	1	1	10
137.202.06	250	2	2	10
137.202.07	500	5	5	2
137.202.08	1000	10	10	1

27. Petri Dish, Borosilicate Glass

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	I.D.(mm)	Pack of
248.202.00	60 x 15	10
248.202.01	50 x 17	10
248.202.02	80 x 17	10
248.202.02A	80 x 15	10
248.202.03	100 x 17	10
248.202.03A	100 x 15	10
248.202.03B	100 x 20	10
248.202.04	120 x 20	10
248.202.03D	150 x 20	10
248.202.04A	150 x 25	10
248.202.05	200 x 20	10
248.202.05A	200 x 30	10

28. Pipette Volumetric, 1 Mark, Class AS

Amber Printing, Chemical Resistant, Class A



Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of
123.202.00	0.5	0.005	2 BLACK	5
123.202.01	1	0.008	BLUE	5
123.202.02	2	0.01	ORANGE	5
123.202.02A*	3	0.01	BLACK	5
123.202.02B*	4	0.01	2 RED	5
123.202.03	5	0.015	WHITE	5
123.202.03A*	6	0.01	2 ORANGE	5
123.202.03B*	7	0.01	2 GREEN	5
123.202.03C*	8	0.02	BLUE	5
123.202.03D*	9	0.02	BLACK	5
123.202.04	10	0.02	RED	5
123.202.04A*	15	0.03	GREEN	5
123.202.05	20	0.03	YELLOW	5
123.202.06	25	0.03	BLUE	5
123.202.06E*	30	0.03	BLACK	5
123.202.06O*	40	0.05	WHITE	5
123.202.07	50	0.05	RED	5
123.202.08	100	0.08	YELLOW	5

29. Pippettes Graduated (Serological), Type 3

Amber Printing, Chemical Resistant, Class A



Item Code	Capacity (ml)	Sub Division	Tolerance (± ml)	Colour Code	Pack of
125.223.00	0.1	0.01	0.006	WHITE	5
125.223.00A	0.2	0.01	0.006	BLACK	5
125.223.01	1	0.01	0.007	YELLOW	5
125.223.01A	1	0.1	0.007	RED	5
125.223.02	2	0.02	0.01	BLACK	5
125.223.02A	2	0.1	0.01	GREEN	5
125.223.03	5	0.05	0.03	RED	5
125.223.03A	5	0.1	0.03	BLUE	5
125.223.04	10	0.1	0.05	ORANGE	5
125.223.06	25	0.1	0.1	WHITE	5

30. Plastic Measuring Beaker, Euro Design

Polypropylene (PE), Low form, Flared beaded top, Heat resistant up top 120 Celcius



Item Code	Capacity (ml)	Pack of
101.303.01	25	12
101.303.02	50	12
101.303.03	100	12
101.303.04	250	12
101.303.05	500	12
101.303.06	1000	6
101.303.07	2000	6
101.303.08	5000	2

31. Plastic Measuring Cylinder with Hex Base

Polyethylene, Heat resistant up top 121 Celcius, Excellent Clarity, Good Stability, Hexa Base



Item Code	Capacity (ml)	Least Count (ml)	Pack of
177.303.01	10	0.2	24
177.303.02	25	0.5	12
177.303.03	50	1	12
177.303.04	100	1	12
177.303.05	250	2	6
177.303.06	500	5	4
177.303.07	1000	10	2

32. Plastic Measuring Jug

Polypropylene (PE), Flared beaded top, Heat resistant up top 120 Celcius



Item Code	Capacity (ml)	Pack of
179.303.01	250	12
179.303.05	500	12
179.303.06	1000	6
179.303.07	2000	6
179.303.08	3000	6
179.303.09	5000	4

33. Plastic Reagent Bottle, Wide Mouth

Polypropylene (PE), Heat resistant up top 120 Celcius, Leakproof



Code	Capacity (ml)	Pack of
107.303.01	60	12
107.303.02	125	12
107.303.03	250	12
107.303.04	500	12
107.303.05	1000	6
107.303.06	30	12

34. Reagent Bottle with Screw Neck

Glass Boro 3.3, White Printing, Chemical Resistant, withstands high temperatures, Polypropylene (PP 5)



Item Code	Capacity (ml)	Dia (mm)	Height (mm)	Pack of
274.205.00	10*	36	50	10
274.202.00B	25*	36	70	10
274.202.00	50*	46	87	10
274.202.01	100	56	100	10
274.202.02	250	70	138	10
274.202.03	500	86	176	10
274.202.04	1000	101	225	10
274.202.05	2000	136	260	10
274.202.07	5000	181	330	1
274.202.08	10000	227	410	1
274.202.09	20000	288	505	1

35. Stirrer Glass

Borosilicate Glass



Item Code	O.D.x Length (mm)	Quantity
090.202.02	7 x 150	20
090.202.02A	7 x 205	20
090.202.02B	7 x 255	20
090.202.02C	7 x 305	20
090.202.04	9 x 150	20
090.202.04A	9 x 205	20
090.202.04B	9 x 255	20
090.202.04C	9 x 305	20

36. Test tube with rim

Glass Boro 3.3, White Printing, Chemical Resistant



Item Code	Capacity (ml)	O.D. x Height(mm)	Thickness(mm)	Pack of
097.215.01	3	10 x 75	1	100
097.215.02	5	12 x 75	1	100
097.215.03	7	12 x 100	1	100
097.215.04	13	15 x 125	1.2	100
097.215.04A	15	15 x 150	1.2	100
097.215.06	27	18 x 150	1.2	100
097.215.07	45	20 x 150	1.2	100
097.215.08	38	25 x 100	1.2	100
097.215.08A	55	25 x 150	1.2	100
097.215.08B	70	25 x 200	1.4	100
097.215.12	100	32 x 200	1.4	50
097.215.14	150	38 x 200	1.4	50

37. Tubes, Centrifuge, Round Bottom

Glass Boro 3.3, Round Bottom



Item Code	Capacity (ml)	Height x O.D. (mm)	Pack of
097.202.03	6	100 x 12	1000
097.202.04A	12	100 x 16	1000

38. Tubes, Culture Media, Flat Bottom

Glass Boro 3.3, White Printing, Chemical Resistant, Screw Cap



Item Code	Capacity (ml)	O.D. x Length (mm)	Bottom Type	Pack of
083.204.02C	5	16 x 50	Flat	100
083.202.01	5	18 x 45	Flat	100
083.202.02A	10	25 x 50	Flat	100
083.202.02AB	15	25 x 57	Flat	100
083.202.02B	20	25 x 72	Flat	100
083.202.03	30	25 x 95	Flat	100
083.202.04	40	25 x 145	Flat	100

39. Volumetric Flask, Class-A, With PE Stopper

Glass Boro 3.3, Blue Printing, Chemical Resistant, Class A, PE Stopper



Item Code	Capacity (ml)	N/S	Tolerance (+_ml)	Pack of
130.202.01	5	10/19	0.040	2
130.202.02	10	10/19	0.040	2
130.202.02A	20	10/19	0.040	2
130.202.03	25	10/19	0.040	2
130.202.04	50	12/21	0.060	2
130.202.04B	50	14/23	0.100	2
130.202.05B	100	12/21	0.100	2
130.202.05	100	14/23	0.100	2
130.202.06	200	14/23	0.150	2
130.202.07	250	14/23	0.150	2
130.202.08	500	19/26	0.250	2
130.202.09	1000	24/29	0.400	2
130.202.10	2000	29/32	0.600	1
130.202.11	5000	34/35	1.200	1

40. Wash Bottles

Low Density Polyethylene, Heat resistant up top 120 Celcius



Item Code	Capacity (ml)	Pack of
109.303.01	125	12
109.303.02	250	12
109.303.03	500	6
109.303.04	1000	6



Contact

Email: praglas@cbn.net.id
WhatsApp: 08111343552

Social Media

Linked in : PT. Praglas Raya
Instagram : [@praglasraya63](#)
Facebook : Praglas Raya

Address

Jl. Bend. Jatiluhur No.63, RT.1/RW.2, Bend. Hilir, Kecamatan Tanah Abang,
Kota Jakarta Pusat, Daerah Khusus Jakarta